

Leaked EU-Pfizer agreement reveals cover-up of bacterial proteins, endotoxins, DNA, dsRNA, other contaminants and up to 50% truncated, modified, recombined, junk mRNA in the vaccine

Informed consent was impossible. This toxic soup should never have been injected into humans.



Vinu Arumugham
Oct 9

103

29



[Dr. Robert Malone](#) received the leaked document from Italian activists. Direct [link](#) to leaked document.

Who is Robert Malone

Critical EU-Pfizer Agreement Leaked

Italian activists sent me the signed November 2020 Advance Purchase Agreement (APA) between the EU member states and Pfizer/BioNTech. This appears to be genuine, but has not been independently verified. The 59 page contract and the 45 pages of attachments can be found here...

Read more

4 days ago · 622 likes · 164 comments · Robert W Malone MD, MS

Intact mRNA

Contradicting reports in the [BMJ](#) that 70-75% of the mRNA in the vaccine was intact, this agreement shows only 50% of the mRNA was intact per specification. So up to 50% of the mRNA in the shot can be truncated, modified, recombined junk. Such randomly modified mRNA could lead to production of random proteins against which an immune response can be created. The immune system attacking random proteins would result in a wide range of vaccine induced diseases including [autoimmunity](#), [allergies](#), [cancer](#), etc. thus requiring [9 pages](#) to describe Adverse Events of Special Interest (AESI).

And as [Dr. Meryl Nass](#) pointed out, this 50% spec. only applies when tested at their factory. It could be even lower by the time it is injected.

proved On: 14-

Product Purity					
Capillary Gel Electrophoresis	RNA Integrity	≥ 50 % intact RNA		TM100010392	Yes

Apart from the 30 mcg of spike protein encoding mRNA, a 0.3 ml vaccine dose contains a total of up to $2.5 \times 0.3 = 0.75$ mg of RNA.

UV Spectroscopy	Content (RNA Concentration)	2.00 – 2.50 mg/mL		TM100010308	Yes
-----------------	-----------------------------	-------------------	--	-------------	-----

Bacterial proteins

The leaked document confirms the presence of bacterial endotoxins in the vaccine. The mRNA vaccines are manufactured using [E. coli bacteria](#). So E. coli proteins and endotoxins contaminate the vaccine.

Specification Report Template

Page 6 of 6

Analytical Procedure	Quality Attribute	Acceptance Criteria	LIMS Target	Procedure Number	Stability Protocol
Adventitious Agents					
Endotoxin (LAL)	Bacterial Endotoxins	≤ 12.5 EU/mL		TM100001884	Yes
Bioburden	Bioburden	≤ 1 CFU / 10 mL		TM100002094	Yes

I previously described the consequences of E. coli protein contamination including induction of autoimmune diseases of the cardiovascular system, type 1 diabetes, ALS, etc.



Vinu's Newsletter

**Fraudulent drug safety studies have destroyed medicine;
"Safety" researchers ignore lot-to-lot variation but in reality**

100X difference in contaminant level, adverse events, is common

A recent study in the BMJ claimed no association between COVID-19 vaccines and Bell's palsy. However, it is obvious from the Pfizer and Moderna trials that the vaccines induced Bell's palsy. The 7X difference in the number of Bell's palsy cases observed between vaccine and placebo arm has only a...

[Read more](#)

7 months ago · 31 likes · 15 comments · Vinu Arumugham



Vinu's Newsletter

Stephen Hawking's Amyotrophic Lateral Sclerosis (ALS) was most likely a vaccine-induced autoimmune disease

A brief history of iatrogenic diseases over time Ignaz Semmelweis discovered that doctors were spreading disease with their dirty hands. Doctors would handle cadavers and then touch patients with those same dirty hands. The medical establishment and doctors fought tooth and nail against Semmelweis' suggestion to wash their hands...

[Read more](#)

a month ago · 41 likes · 27 comments · Vinu Arumugham



Vinu's Newsletter

Pharma's war on cheap medicines killed 15 million with COVID, it may now be bad for your bones; E. coli protein contaminated mRNA vaccines cause numerous autoimmune diseases including type 1 diabetes

Pharma, corrupted researchers, regulators and the media worked to deny cheap, early COVID treatments such as ivermectin, HCQ, famotidine, cetirizine, fluvoxamine while pushing vaccines alone, to mint vaccine billionaires. This resulted in 15 million...

[Read more](#)

2 months ago · 36 likes · 24 comments · Vinu Arumugham

Usually vaccines are described as [sterile](#).

Flublok Quadrivalent [Quadrivalent Influenza Vaccine] is a [sterile](#), clear, colorless solution of recombinant

Not the case for this Pfizer vaccine which can contain live microorganisms (including E. coli? “bioburden”) up to 1 CFU/10ml.

DNA Contamination

Product-Related Impurities					
qPCR	Residual DNA Template	≤ 330 ng DNA / mg RNA		TM100010388	No
Immunoblot	Residual Double Stranded RNA (dsRNA)	≤ 1000 pg dsRNA / μ g RNA		TM100010474	No

In 1985, the FDA came up with an [arbitrary limit of 10 pg](#) residual DNA contamination per dose.

guidelines on residual DNA. In 1985, FDA set the upper limit of 10 pg of residual DNA per medicinal dose. In 1986, a WHO study group considered a number of issues associated with the acceptability of new cell substrates for the production of biologicals and concluded that the risk is negligible when the amount of such DNA is 100 pg/dose [1]. In 1996 WHO ECBS further increased levels up to 10 ng per purified dose as acceptable [2]. The new upper limit was not for products orally given or derived from

There was no science behind the 10 pg limit. It is based on the number fingers in a pair of human hands. If this guy were working at the FDA, he would have set the limit to 12 pg.



This arbitrary 10 pg limit had been arbitrarily increased 1000-fold to 10 ng by 1996. You would expect that with improved technology, vaccines would get cleaner with time. But with no liability, they become dirtier to increase profit.

The Pfizer vaccine contains up to 330 ng DNA /mg of RNA. Since each dose of the vaccine contains up to 0.75mg of RNA, each dose can contain up to ~250 ng of residual DNA.

This is ~25X the amount of residual DNA contamination allowed in the [Flublok vaccine](#).

frugiperda cell proteins (≤ 19 mcg), baculovirus and cellular **DNA** (≤ 10 ng), and Triton X-100 (≤ 100 mcg).

Other contaminants

Ethanol and dsRNA are other newly disclosed contaminants.

Residual Ethanol	GC	≤ 5000 ppm	TM100010581	No
------------------	----	-----------------	-------------	----

And even this leaked document does not list all contaminants such as aeroallergens.




Aeroallergen contaminated injected vaccines cause the development of asthma. New CHO cell protein contaminated biologic treatment for asthma - tezepelumab, will cause de novo autoimmune disorders.

The FDA recently approved tezepelumab. Tezepelumab is a monoclonal antibody treatment for asthma. Vaccines induce asthma Allergic asthma occurs when the immune system mistakenly recognizes harmless aeroallergens as pathogens and begins to attack them...

[Read more](#)

10 months ago · 18 likes · 2 comments · Vinu Arumugham

With all these hidden ingredients not disclosed in the FDA's "[fact sheet](#)" or package insert, informed consent was impossible. This was a coercive medical experiment on humans, in violation of the Nuremberg code, based on fraudulent claims that the product was safe and effective.



Finally, at least the state of Florida is [recommending against](#) these dangerous vaccines.