

Can Atmospheric Electricity Contribute to Pilots Collapsing From Blood Clots? How Does Electrically Responsive Hydrogel React Under Increasing Voltage Of Electrostatic Fields At High Altitude?



Ana Maria Mihalcea, MD, PhD

Apr 2

94

80



We know that the C19 shots contain lipid nanoparticles with are the components of hydrogel like Polyethylene Glycol in Pfizer and SM 102 in Moderna. Hydrogel is a self assembly polymer that grows under the exposure of electrical and electromagnetic fields. I have shown the work of Clifford Carnicom, that low level electrical fields can change the blood to an unrecognizable filament network within an extremely short amount of time. I have discussed our Infrared Spectroscopy, patents and historical work on CDB aka Morgellons - indicate the presence of hydrogel. I have written about this here:

Dr. Ana's Newsletter

Unvaccinated Blood: Recurrent New Proof of (CDB) Filaments Growing Under Exposure of Extremely Low Electrical Currents: Ana Maria Mihalcea, MD, PhD in conjunction with Clifford Carnicom

Image courtesy: Unvaccinated live blood analysis Subject 1 - normal appearing prior to exposure to low level electrical current. We have seen unprecedented changes in live blood since the roll out of the C19 injections. I have reported extensively on the findings of abnormal structures found in vaccinated blood around the world and now in unvaccinated bl...

[Read more](#)

9 days ago · 176 likes · 130 comments · Ana Maria Mihalcea, MD, PhD


It has been known for over a century and been described by Georges Lakhovsky in 1939, that the electric potential of the terrestrial atmosphere increases with height at the rate of 1 volt per cm. The more modern values are described here:

The [electrostatic field](#) and the difference of potential of the earth field according to investigations, is in summer about 60 to 100 volts and in winter 300 to 500 volts per meter of difference in height, a simple calculation gives the result that when such a collector is arranged for example on the ground, and a second one is mounted vertically over it at a distance of 2000 meters and both are connected by a conducting cable, there is a difference in potential in summer of about 2,000,000 volts and in winter even of 6,000,000 volts and more.^[11]

Many explain electricity in a wire with the analogy of a water pipe. The pressure in the pipe is the voltage (V) and the flow velocity of the current is measured in amperes (A). Power, which is measured in watts (W), is the energy unit per time. Their mathematical relationship is: $V \times A = W$


Imagine our experiment done by Clifford Carnicom even on unvaccinated blood applying 10 micro amps of current for two hours.

Unvaccinated blood, extensive filament network seen under 10 micro amp electrical current original mag. approx. 1500x



www.carnicominate.org

Now remember the analysis of Mike Adams on the cadaver blood clots, taken from vaccinated individuals. It contained conductive metals and self assembly carbon rich polymer.



A Self Assembling 'Clot' That Accumulates Conductive Metals

Mike Adams: There's something highly unusual that's causing this sparking, popping, fiery reaction. Whatever's in this clot is rapidly inviting oxidation. It's highly combustible; we've not seen anything like this before. This is clearly not blood vessel tissue.

The analysis shows:

- The clots are absolutely not made of blood
- They attract different types of elements more than what blood would
- It's a self assembling, carbon rich structure
- The 'clot' accumulated a higher level of aluminium, sodium and 6-7X higher levels of tin, and phosphorus
- Many of these elements are conductive

39K 11:24 PM

I have discussed my concerns about hydrogel being the culprit of these rubbery blood clots after the documentary "Died suddenly" came out:

Dr. Ana's Newsletter

Thoughts and Comments about "Died Suddenly" Documentary

Please click on this link to see this brilliant documentary: Died suddenly full documentary I hope people have watched Stew Peters new excellent documentary. It is shocking and yet undeniable. I would like to pose to you some questions, that people who still hold on to the spike protein theory and speak about "amyloid like substance" causing the clots - ...

[Read more](#)

4 months ago · 163 likes · 115 comments · Ana Maria Mihalcea, MD, PhD

It has been shown that electrical signals can control the self assembly of hydrogel:

Coding for hydrogel organization through signal guided self-assembly †

[Kun Yan](#),^a [Fuyuan Ding](#),^a [William E. Bentley](#),^b [Hongbing Deng](#),^a [Yumin Du](#),^a [Gregory F. Payne](#)^b and [Xiao-Wen Shi](#)^{*a}

⊕ [Author affiliations](#)

Abstract

Complex structured soft matter may have important applications in the field of tissue engineering and biomedicine. However, the discovery of facile methods to exquisitely manipulate the structure of soft matter remains a challenge. In this report, a multilayer hydrogel is fabricated from the stimuli-responsive aminopolysaccharide chitosan by using spatially localized and temporally controlled sequences of electrical signals. By programming the imposed cathodic input signals, chitosan hydrogels with varying layer number and thickness can be fabricated. The inputs of electrical signals induce the formation of hydrogel layers while short interruptions create interfaces between each layer. The thickness of each layer is controlled by the charge transfer ($Q = \int i dt$) during the individual deposition step and the number of multilayers is controlled by the number of interruptions. Scanning electron micrographs (SEMs) reveal organized fibrous structures within each layer that are demarcated by compact orthogonal interlayer structures. This work demonstrates for the first time that an imposed sequence of electrical inputs can trigger the self-assembly of multilayered hydrogels and thus suggests the broader potential for creating an electrical "code" to generate complex structures in soft matter.

[Coding for hydrogel organization through signal guided self-assembly](#)

We are facing an unprecedented occurrence of medical emergencies in pilots, which are ignored in main stream media, but covered by Dr. William Makis:



COVID Intel - by Dr. William Makis

TAROM Flight RO-7673 TSR-HRG service from Timisoara (Romania) to Hurghada (Egypt) diverted: 30 year old pilot had chest pain and collapsed in-flight on March 25th, 2023 - 7th pilot incident this month

A TAROM Boeing 737-800, registration YR-BGK performing flight RO-7673 from Timisoara (Romania) to Hurghada (Egypt) with 184 passengers on board, was enroute at FL370 about 150nm south of Bucharest in Bulgarian Airspace when the first officer reported...

[Read more](#)

6 days ago · 125 likes · 46 comments · Dr. William Makis MD

And here is more...



COVID Intel - by Dr. William Makis

Air Transat Flight TS739 FDF-YUL service from Fort-de-France to Montreal, Airbus A321-200: pilot incapacitated in-flight on March 18th, 2023 - 6th incident this month

On March 18th, 2023, an Air Transat Airbus A321 was flying from Fort-de-France to Montreal when the aircraft's first officer became incapacitated. The incident occurred as the aircraft was flying over the United States, 200NM south of Montreal. (click here...

[Read more](#)

[How much electricity is in the human body?](#) Scientists agree that the human **body**, at rest, can produce around 100 watts of power on average. This is enough **electricity** to power up a light bulb. Some humans have the ability to output over 2,000 watts of power, for instance if sprinting.

Summary:

I have been sounding the alarm that the rubbery clots seen in deceased vaccinated individuals are made from hydrogel, which is what Mike Adams confirmed. We have shown how blood changes under low level electrical current, clearly growing a filament network, aka rubbery clot like structures. High altitudes voltage increased to anywhere between 2-6 million (or more) volts at high altitude, could increase the electrical power in the body significantly and contribute to sudden growth of hydrogel filaments. The same can happen with exercise, as the body can increase its power output from 100 to 2000 watts. We must consider that hydrogel self assembly is not only enhanced via electromagnetic fields like 5G but also via electricity. We are a body electric. Could it be that the hydrogel is harnessing our own electric field, as well as that of the environment to produce a “kill switch?”

The evidence so far certainly suggests this and I urge scientists and doctors worldwide to explore this causal relationship. Aviation safety should explore these causalities and their obvious emerging scientific questions. Once again, I ask doctors to use the diagnostic tool of live blood analysis to see if pilots and athletes have these structures. Voltammetry testing on blood of high risk individuals may be an unconsidered valuable diagnostic tool to prevent catastrophic events like airplanes falling out of the sky or people dying suddenly.

All pilots and athletes especially, aside from every human being on the face of the earth, should have live blood analysis BEFORE flights or engaging in exercise. If the hydrogel structures are visible, the blood needs to be cleared and these contributing activities avoided. As you know, I recommend EDTA Chelation with other extensive protocols that I have mentioned in prior substacks and interviews. Most of all, the conversation about this concerning association needs to be taking place worldwide.